

Changes Subsequent to Original Printing of *Basic Manual* Pages Effective April 1, 2009

CLASS CODE	LOSS COST	EXPLANATION
8837	-	Discontinued 10/1/2009 per Item 01-NC-2006
8842	2.30	Created effective 10/1/2009 per Item 01-NC-2006
8864	2.30	Created effective 10/1/2009 per Item 01-NC-2006

ADVISORY LOSS COSTS - NOT RATES

NORTH CAROLINA

Advisory loss costs exclude all expense provisions except loss adjustment expense.

Original Printing

Page S1

Effective April 1, 2009

CLASS CODE	LOSS COST	CLASS CODE	LOSS COST	CLASS CODE	LOSS COST	CLASS CODE	LOSS COST	CLASS CODE	LOSS COST	CLASS CODE	LOSS COST	CLASS CODE	LOSS COST
0005X	3.37	1925	3.29	2623	3.77	3126	2.90	3807	2.19	4431	1.50	5222	13.37
0008	2.06	2001	3.04	2651	3.07	3131	1.09	3808	2.55	4432	1.48	5223	5.44
0016X	5.86	2002	3.24	2660	2.49	3132	3.88	3821	4.12	4439	1.90	5348	5.01
0034	2.97	2003	2.53	2670	1.73	3145	2.59	3822X	6.32	4452	3.56	5402	4.21
0035X	2.57	2014	5.25	2683	2.03	3146	2.50	3824X	4.30	4459	2.84	5403	8.93
0036	4.30	2016	2.67	2688	4.59	3169	2.86	3826	1.06	4470	2.11	5437	6.99
0037	4.02	2021X	3.51	2702	12.85	3175	2.97	3827	1.54	4484	3.32	5443	6.22
0042	5.01	2039	5.02	2705X*	39.75	3179	1.80	3830	3.15	4493	5.11	5445	8.48
0050X	15.56	2041	3.51	2706X	-	3180	2.90	3851	2.85	4511	0.55	5462	7.85
0059D	0.43	2065	4.17	2709	12.85	3188	1.85	3865	2.19	4557	1.94	5472	6.87
0065D	0.10	2070	4.68	2710	12.09	3220	2.16	3881	4.32	4558	2.04	5473	6.97
0066D	0.10	2081	3.60	2714	5.03	3223	2.30	4000	6.72	4561	2.29	5474	6.31
0067D	0.10	2089	5.01	2727X	10.23	3224	3.43	4021	5.56	4568	2.67	5478	5.05
0079X	2.52	2095	5.13	2731	4.91	3227	4.28	4024E	3.93	4581	1.32	5479	6.83
0083	3.34	2105	2.33	2735	4.05	3240	2.67	4034	6.44	4583	5.62	5480	8.10
0106	20.35	2110	1.49	2759	5.33	3241	4.82	4036	3.19	4611	0.59	5491	3.66
0113	3.59	2111	2.72	2790	2.64	3255	2.13	4038	5.42	4635	2.36	5506	7.59
0170	2.74	2112	4.04	2791X	2.04	3257	2.41	4053	3.31	4653	2.81	5507	4.63
0251	4.48	2114	2.35	2797X	6.46	3270	2.83	4061	5.38	4665	9.30	5508	24.56
0400	8.16	2121	4.59	2802	4.36	3300	5.74	4062	2.13	4670	4.23	5535	8.51
0401	8.19	2130	2.64	2812	4.44	3303	3.86	4101	1.77	4683	3.00	5536	-
0763FN	2.07	2131	2.48	2835	2.03	3307	5.95	4111	3.13	4686	1.85	5537	6.55
0771N	0.57	2143	3.10	2836	2.27	3315	5.36	4112	1.88	4692	0.67	5538	-
0908P	145.00	2150	-	2841	3.35	3334	2.96	4113	1.90	4693	1.04	5551	14.57
0909	-	2156	-	2881	3.20	3336	2.74	4114	6.47	4703	2.71	5606	2.03
0912	-	2157	5.74	2883	3.16	3365	12.04	4130	6.28	4717	2.43	5610	6.51
0913P	352.00	2172X	2.12	2913	2.81	3372	3.05	4131	5.28	4720	1.58	5645	14.12
0917	3.05	2174X	3.29	2915	5.98	3373	6.40	4133	2.75	4740	4.04	5651	9.14
1005*	12.73	2211	10.07	2916	3.28	3383	1.33	4150	0.59	4741	1.67	5703	18.38
1164	13.56	2220	2.97	2923	2.44	3385	1.20	4206	3.49	4751	3.61	5705	6.75
1165XE	3.85	2286	1.19	2942	2.15	3400	3.45	4207	1.61	4771N	3.23	5951	0.40
1320	3.77	2288	3.81	2960	3.67	3507	2.79	4239	3.88	4777	5.27	6003	9.64
1322	14.85	2300	3.46	3004	2.08	3515	2.86	4240	2.21	4825	1.24	6005	6.46
1430	3.81	2302	1.87	3018	3.54	3516X	1.78	4243	2.35	4828	2.53	6017	7.02
1438	2.64	2305	2.05	3022	3.91	3548	1.83	4244	2.39	4829	1.70	6018	3.22
1452	4.43	2361	1.90	3027	3.31	3559	4.25	4250	1.83	4902	2.66	6045	4.18
1463	13.89	2362	2.32	3028	6.33	3574	1.06	4251	1.70	4923	1.11	6204	16.27
1470X	4.32	2380	2.08	3030	6.07	3581	2.51	4263	5.21	5020	11.29	6206	5.86
1473X	2.41	2386	1.03	3040	5.58	3612	1.87	4273	2.04	5022	6.25	6213	4.28
1474X	2.78	2388	2.61	3041	4.44	3620	6.32	4279	2.74	5037	35.12	6214	3.35
1624E	3.89	2402	2.90	3042	2.96	3629	2.39	4282	1.75	5040	34.59	6216	8.70
1642	5.32	2413	2.47	3064	6.18	3632	3.01	4283	3.49	5057	11.41	6217	6.54
1654	8.85	2416	1.41	3066	-	3634	1.71	4299	1.85	5059	40.10	6229	5.46
1655	6.54	2417	2.03	3069	8.51	3635	3.40	4301X	1.29	5069	32.35	6233	6.58
1699	2.84	2501	2.31	3076	3.35	3638	1.83	4304	3.35	5102	6.00	6235	14.22
1701	6.21	2503	1.12	3081D	3.53	3642	0.70	4307	1.29	5146	5.18	6236	18.64
1710	5.55	2534	1.85	3082D	5.40	3643	2.81	4308	-	5160	5.70	6237	2.91
1741D	2.69	2570	3.22	3085D	4.20	3647	3.05	4351	0.95	5183	5.22	6251D	15.41
1747	2.83	2576	-	3110	4.31	3648	1.45	4352	1.24	5188	5.81	6252D	8.41
1748	5.02	2578	-	3111	3.71	3681	1.57	4360	1.30	5190	5.92	6260	6.90
1803D	8.09	2585	3.45	3113	2.01	3685	1.46	4361	1.66	5191	0.76	6306	8.33
1852D	3.10	2586	1.87	3114	3.43	3719	2.00	4362	1.44	5192	4.56	6319	6.06
1853	2.33	2587	3.31	3118	3.52	3724	5.38	4410	4.19	5213	10.09	6325	13.87
1860	2.57	2589	1.96	3119	0.74	3726	6.48	4417X	2.38	5215	4.20	6400	6.31
1924	3.31	2600	2.11	3122	2.31	3803	2.89	4420	6.99	5221	4.58	6504	2.63

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

Advisory loss costs exclude all expense provisions except loss adjustment expense.

Effective April 1, 2009

CLASS CODE	LOSS COST	CLASS CODE	LOSS COST	CLASS CODE	LOSS COST	CLASS CODE	LOSS COST	CLASS CODE	LOSS COST	CLASS CODE	LOSS COST	CLASS CODE	LOSS COST
6702M*	18.82	7420	26.96	8106	4.47	8831	1.34	9600	2.19				
6703M*	38.71	7421	1.83	8107	4.22	8832	0.39	9620	0.97				
6704M*	20.91	7422	3.42	8111	2.44	8833*	1.95						
6801F	3.08	7423	-	8116	3.15	8835	2.55						
6811	3.23	7425	9.63	8203	7.45	8837aX*	a						
6824F	6.84	7431N	3.88	8204	3.29	8848X	3.33						
6826F	6.39	7445N	0.32	8209	2.65	8849X	3.02						
6834	2.74	7453N	1.29	8215	3.72	8868	0.49						
6836	4.48	7502	4.60	8227	5.14	8869	0.92						
6843F	10.77	7515	1.79	8232	3.93	8871	0.31						
6845F	13.92	7520	4.13	8233	6.13	8901	0.30						
6854	6.22	7529X	7.19	8235	5.77	9012	1.85						
6872F	17.23	7538	16.00	8236X	4.63	9014	3.17						
6874F	27.19	7539	3.67	8263	9.88	9015	3.02						
6882	5.09	7540	4.47	8264	5.43	9016	3.11						
6884	10.86	7580	2.72	8265	7.93	9019	2.20						
7016M	6.73	7590	3.96	8279	7.23	9033	2.03						
7024M	7.48	7600	4.18	8288	5.58	9040*	3.39						
7038M	6.71	7601	11.28	8291	9.10	9044	1.60						
7046M	7.51	7605	3.73	8292	3.61	9052	2.09						
7047M	13.85	7610	0.77	8293	9.05	9058	1.35						
7050M	13.81	7611	7.16	8304	5.18	9059	3.48						
7090M	7.46	7612	12.44	8350	5.93	9060	1.64						
7098M	8.34	7613	8.43	8380	3.09	9061	1.46						
7099M	15.44	7704	-	8381	2.41	9062	1.60						
7133	4.95	7705	4.63	8385	4.14	9063	0.91						
7151M	6.01	7710	3.41	8392	2.57	9077F	1.17						
7152M	12.37	7711	3.41	8393	2.27	9082	1.63						
7153M	6.68	7720X	2.48	8500	8.37	9083	1.57						
7222	10.94	7723X	2.57	8601	1.06	9084	1.41						
7228	10.69	7855	15.49	8606	3.83	9089	0.66						
7229	9.73	8001	1.41	8709F	3.53	9093	1.84						
7230	9.00	8002	2.01	8710X	2.67	9101	3.18						
7231	6.34	8006	2.71	8719	1.94	9102	3.07						
7232	8.99	8008	1.53	8720	1.86	9154	1.94						
7309F	17.58	8010	1.83	8721	0.64	9156	2.44						
7313F	3.51	8013	0.56	8726F	4.12	9170	3.17						
7317F	8.10	8015	1.19	8734M	0.68	9178	9.93						
7323FNX	4.84	8017	1.84	8737M	0.61	9179	27.89						
7327F	8.87	8018	2.38	8738M	1.25	9180	6.36						
7333M	5.45	8021	2.42	8742	0.50	9182	1.77						
7335M	6.06	8031	2.61	8745	4.97	9186	35.67						
7337M	11.22	8032	2.53	8748	0.91	9220	4.76						
7350F	9.05	8033	1.95	8755	0.43	9402	6.88						
7360	7.60	8039	3.06	8799	0.95	9403	8.03						
7370	4.63	8044	4.10	8800	0.95	9410	1.97						
7380	5.08	8045	0.67	8803	0.11	9501	2.63						
7382	6.47	8046	2.88	8805M	0.39	9505	4.59						
7390	4.99	8047	1.01	8810	0.29	9516	2.81						
7394M	13.00	8050	-	8814M	0.35	9519	4.47						
7395M	14.44	8058	2.75	8815M	0.72	9521	4.34						
7398M	26.73	8072	0.87	8820	0.24	9522	1.78						
7403	4.20	8102	2.48	8824	3.63	9534	8.75						
7405N	0.97	8103	2.40	8825	2.27	9554	14.29						
7409	-	8105	3.61	8826	2.64	9586	0.59						

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

Effective April 1, 2009

FOOTNOTES

- a Advisory loss cost for each individual risk must be obtained from Home Office from Rating Organization having jurisdiction.
- D Advisory loss cost for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.
- E Advisory loss cost for classification already includes the specific disease loading shown in the table below.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.43	S	1624E	0.03	S	3082D	0.09	S
0065D	0.10	S	1741D	0.37	S	3085D	0.08	S
0066D	0.10	S	1803D	0.68	S	4024E	0.04	S
0067D	0.10	S	1852D	0.10	Asb	6251D	0.09	S
1165XE	0.04	S	3081D	0.06	S	6252D	0.07	S

S=Silica Asb=Asbestos

- F Advisory loss cost provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Loss cost contains a provision for federal assessment.
- M Advisory loss cost provides for coverage under Admiralty Law and Federal Employers' Liability Act (FELA). A provision for the USL& HW assessment is included for those classifications under Program II USL Act.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding advisory loss cost are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4771	0771
7323F	0763F
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Advisory loss cost includes a non-ratable disease element of \$5.27. (For coverage written separately for federal benefits only, \$1.98. For coverage written separately for state benefits only, \$3.29.)
- 2705 An upset payroll of \$4.00 per cord shall be used for premium computation purposes in all instances.
- 6702 Loss cost and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code loss cost and elr each x 1.215.
- 6703 Loss cost and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class loss cost x 2.499 and elr x 2.294.
- 6704 Loss cost and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class loss cost and elr each x 1.35.
- 8833 The ex-medical advisory loss cost for this classification is \$1.29.
- 8837 Effective 10/1/2009, per the approval of NCCI Item Filing 01-NC-2006 (as discussed in NCRB Circular C-07-04), this code is discontinued and codes 8864 and 8842 are established. Based on the information contained in this filing, the values for the newly-established codes effective 10/1/2009 are:

	Loss Cost	ELR	D Ratio	Ex-Med
8842	2.30	1.20	0.16	0.35
8864	2.30	1.20	0.16	0.35

- 9040 The ex-medical advisory loss cost for this classification is \$2.10.

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

Effective April 1, 2009

ADVISORY MISCELLANEOUS VALUES

Advisory Loss Elimination Ratios - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis*:

Deductible Amount	Total Losses						
	HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	0.9%	0.7%	0.6%	0.5%	0.4%	0.2%	0.2%
\$200	1.8%	1.3%	1.1%	0.9%	0.7%	0.5%	0.4%
\$300	2.6%	1.9%	1.6%	1.3%	1.1%	0.7%	0.5%
\$400	3.4%	2.5%	2.1%	1.7%	1.4%	0.9%	0.7%
\$500	4.0%	3.0%	2.5%	2.0%	1.6%	1.1%	0.8%
\$1,000	6.2%	4.8%	4.0%	3.3%	2.7%	1.9%	1.4%
\$1,500	7.7%	6.0%	5.1%	4.2%	3.5%	2.4%	1.8%
\$2,000	8.8%	6.9%	5.9%	4.9%	4.1%	2.9%	2.2%
\$2,500	9.9%	7.7%	6.6%	5.6%	4.7%	3.3%	2.5%
\$5,000	13.9%	11.0%	9.6%	8.2%	7.0%	5.1%	4.0%

Deductible Amount	Total Losses			
	HAZARD GROUP			
	1	2	3	4
\$100	0.7%	0.5%	0.3%	0.2%
\$200	1.4%	1.0%	0.6%	0.4%
\$300	2.1%	1.5%	0.9%	0.5%
\$400	2.7%	1.9%	1.1%	0.7%
\$500	3.2%	2.3%	1.3%	0.8%
\$1,000	5.1%	3.8%	2.2%	1.4%
\$1,500	6.3%	4.8%	2.9%	1.8%
\$2,000	7.3%	5.6%	3.4%	2.2%
\$2,500	8.2%	6.3%	3.9%	2.5%
\$5,000	11.6%	9.2%	5.9%	4.0%

*The values shown for Hazard Groups 1 through 4 are for the reference of those carriers that have filed for the use of these hazard groups in accordance with Item B-1403.

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 --"Taxicab Co.":

Employee operated vehicle.....	\$54,375.00
Leased or rented vehicle.....	\$36,250.00

Catastrophe (other than Certified Acts of Terrorism) (Advisory Loss Cost)..... \$0.01

Maximum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers of a corporation" and the **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports," Code 9179 -- "Athletic Sports or Park: Contact Sports," and Code 9186 -- "Carnival--Traveling"..... \$1,400.00

Minimum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers" \$349.00

Per Passenger Seat Surcharge - In accordance with **Basic Manual** footnote instructions for Code 7421, the surcharge is:

Maximum surcharge per aircraft.....	\$1,000
Per passenger seat.....	\$100

Premium Determination for Partners and Sole Proprietors in accordance with **Basic Manual** Rule 2-E-3..... \$36,600.00

Terrorism (Advisory Loss Cost)..... \$0.01

Effective April 1, 2009

ADVISORY MISCELLANEOUS VALUES (cont.)

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with Basic Manual Rule 3-A-4..... 95%

(Multiply a Non-F classification loss cost by a factor of 1.95 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.77) and the adjustment for differences in loss-based expenses (1.103).)

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$8,000. If more than two years, an average annual premium of at least \$4,000 is required. Page R-4 of the Experience Rating Plan Manual should be referenced for the latest approved eligibility amounts by state.

RESERVED FOR FUTURE USE

Changes Subsequent to Original Printing of *Basic Manual* Pages Effective April 1, 2009

CLASS CODE	RATE	MIN PREM	EXPLANATION
8837	-	-	Discontinued 10/1/2009 per Item 01-NC-2006
8842	4.17	850	Created effective 10/1/2009 per Item 01-NC-2006
8864	4.17	850	Created effective 10/1/2009 per Item 01-NC-2006

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

NORTH CAROLINA

Page S1

Original Printing

Effective April 1, 2009

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM
0005X	6.11	850	1925	5.96	850	2623	6.83	850	3126	5.26	850	3807	3.97	850
0008	3.73	850	2001	5.51	850	2651	5.57	850	3131	1.98	616	3808	4.62	850
0016X	10.62	850	2002	5.87	850	2660	4.51	850	3132	7.03	850	3821	7.47	850
0034	5.38	850	2003	4.59	850	2670	3.14	831	3145	4.70	850	3822X	11.46	850
0035X	4.66	850	2014	9.52	850	2683	3.68	850	3146	4.53	850	3824X	7.80	850
0036	7.80	850	2016	4.84	850	2688	8.32	850	3169	5.18	850	3826	1.92	605
0037	7.29	850	2021X	6.36	850	2702	23.30	850	3175	5.38	850	3827	2.79	766
0042	9.08	850	2039	9.10	850	2705X*	72.06	850	3179	3.26	850	3830	5.71	850
0050X	28.21	850	2041	6.36	850	2706X	-	-	3180	5.26	850	3851	5.17	850
0059D	0.78	-	2065	7.56	850	2709	23.30	850	3188	3.35	850	3865	3.97	850
0065D	0.18	-	2070	8.48	850	2710	21.92	850	3220	3.92	850	3881	7.83	850
0066D	0.18	-	2081	6.53	850	2714	9.12	850	3223	4.17	850	4000	12.18	850
0067D	0.18	-	2089	9.08	850	2727X	18.55	850	3224	6.22	850	4021	10.08	850
0079X	4.57	850	2095	9.30	850	2731	8.90	850	3227	7.76	850	4024E	7.12	850
0083	6.06	850	2105	4.22	850	2735	7.34	850	3240	4.84	850	4034	11.68	850
0106	36.89	850	2110	2.70	750	2759	9.66	850	3241	8.74	850	4036	5.78	850
0113	6.51	850	2111	4.93	850	2790	4.79	850	3255	3.86	850	4038	9.83	850
0170	4.97	850	2112	7.32	850	2791X	3.70	850	3257	4.37	850	4053	6.00	850
0251	8.12	850	2114	4.26	850	2797X	11.71	850	3270	5.13	850	4061	9.75	850
0400	14.79	850	2121	8.32	850	2802	7.90	850	3300	10.41	850	4062	3.86	850
0401	14.85	A	2130	4.79	850	2812	8.05	850	3303	7.00	850	4101	3.21	844
0763FN	3.75	-	2131	4.50	850	2835	3.68	850	3307	10.79	850	4111	5.67	850
0771N	1.03	-	2143	5.62	850	2836	4.12	850	3315	9.72	850	4112	3.41	850
0908P	263.00	513	2150	-	-	2841	6.07	850	3334	5.37	850	4113	3.44	850
0909	-	-	2156	-	-	2881	5.80	850	3336	4.97	850	4114	11.73	850
0912	-	-	2157	10.41	850	2883	5.73	850	3365	21.83	850	4130	11.39	850
0913P	638.00	850	2172X	3.84	850	2913	5.09	850	3372	5.53	850	4131	9.57	850
0917	5.53	850	2174X	5.96	850	2915	10.84	850	3373	11.60	850	4133	4.99	850
1005*	23.07	850	2211	18.26	850	2916	5.95	850	3383	2.41	696	4150	1.07	448
1164	24.58	850	2220	5.38	850	2923	4.42	850	3385	2.18	653	4206	6.33	850
1165XE	6.98	850	2286	2.16	650	2942	3.90	850	3400	6.25	850	4207	2.92	790
1320	6.83	850	2288	6.91	850	2960	6.65	850	3507	5.06	850	4239	7.03	850
1322	26.92	850	2300	6.27	850	3004	3.77	850	3515	5.18	850	4240	4.01	850
1430	6.91	850	2302	3.39	850	3018	6.42	850	3516X	3.23	848	4243	4.26	850
1438	4.79	850	2305	3.72	850	3022	7.09	850	3548	3.32	850	4244	4.33	850
1452	8.03	850	2361	3.44	850	3027	6.00	850	3559	7.70	850	4250	3.32	850
1463	25.18	850	2362	4.21	850	3028	11.48	850	3574	1.92	605	4251	3.08	820
1470X	7.83	850	2380	3.77	850	3030	11.00	850	3581	4.55	850	4263	9.45	850
1473X	4.37	850	2386	1.87	596	3040	10.12	850	3612	3.39	850	4273	3.70	850
1474X	5.04	850	2388	4.73	850	3041	8.05	850	3620	11.46	850	4279	4.97	850
1624E	7.05	850	2402	5.26	850	3042	5.37	850	3629	4.33	850	4282	3.17	836
1642	9.64	850	2413	4.48	850	3064	11.20	850	3632	5.46	850	4283	6.33	850
1654	16.04	850	2416	2.56	724	3066	-	-	3634	3.10	824	4299	3.35	850
1655	11.86	850	2417	3.68	850	3069	15.43	850	3635	6.16	850	4301X	2.34	683
1699	5.15	850	2501	4.19	850	3076	6.07	850	3638	3.32	850	4304	6.07	850
1701	11.26	850	2503	2.03	626	3081D	6.40	850	3642	1.27	485	4307	2.34	683
1710	10.06	850	2534	3.35	850	3082D	9.79	850	3643	5.09	850	4308	-	-
1741D	4.88	850	2570	5.84	850	3085D	7.62	850	3647	5.53	850	4351	1.72	568
1747	5.13	850	2576	-	-	3110	7.81	850	3648	2.63	737	4352	2.25	666
1748	9.10	850	2578	-	-	3111	6.73	850	3681	2.85	777	4360	2.36	687
1803D	14.66	850	2585	6.25	850	3113	3.64	850	3685	2.65	740	4361	3.01	807
1852D	5.62	850	2586	3.39	850	3114	6.22	850	3719	3.63	850	4362	2.61	733
1853	4.22	850	2587	6.00	850	3118	6.38	850	3724	9.75	850	4410	7.60	850
1860	4.66	850	2589	3.55	850	3119	1.34	498	3726	11.75	850	4417X	4.31	850
1924	6.00	850	2600	3.83	850	3122	4.19	850	3803	5.24	850	4420	12.67	850

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

NORTH CAROLINA

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Page S2

Original Printing

Effective April 1, 2009

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM
4431	2.72	753	5222	24.24	850	6702M*	34.12	850	7420	48.88	850	8106	8.10	850
4432	2.68	746	5223	9.86	850	6703M*	70.18	850	7421	3.32	850	8107	7.65	850
4439	3.44	850	5348	9.08	850	6704M*	37.91	850	7422	6.20	850	8111	4.42	850
4452	6.45	850	5402	7.63	850	6801F	5.58	850	7423	-	-	8116	5.71	850
4459	5.15	850	5403	16.19	850	6811	5.86	850	7425	17.46	850	8203	13.51	850
4470	3.83	850	5437	12.67	850	6824F	12.40	850	7431N	7.03	850	8204	5.96	850
4484	6.02	850	5443	11.28	850	6826F	11.58	850	7445N	0.58	-	8209	4.80	850
4493	9.26	850	5445	15.37	850	6834	4.97	850	7453N	2.34	-	8215	6.74	850
4511	1.00	435	5462	14.23	850	6836	8.12	850	7502	8.34	850	8227	9.32	850
4557	3.52	850	5472	12.45	850	6843F	19.52	850	7515	3.25	850	8232	7.12	850
4558	3.70	850	5473	12.64	850	6845F	25.24	850	7520	7.49	850	8233	11.11	850
4561	4.15	850	5474	11.44	850	6854	11.28	850	7529X	13.03	850	8235	10.46	850
4568	4.84	850	5478	9.16	850	6872F	31.24	850	7538	29.01	850	8236X	8.39	850
4581	2.39	692	5479	12.38	850	6874F	49.29	850	7539	6.65	850	8263	17.91	850
4583	10.19	850	5480	14.68	850	6882	9.23	850	7540	8.10	850	8264	9.84	850
4611	1.07	448	5491	6.64	850	6884	19.69	850	7580	4.93	850	8265	14.38	850
4635	4.28	850	5506	13.76	850	7016M	12.20	850	7590	7.18	850	8279	13.11	850
4653	5.09	850	5507	8.39	850	7024M	13.56	850	7600	7.58	850	8288	10.12	850
4665	16.86	850	5508	44.52	850	7038M	12.16	850	7601	20.45	850	8291	16.50	850
4670	7.67	850	5535	15.43	850	7046M	13.61	850	7605	6.76	850	8292	6.54	850
4683	5.44	850	5536	-	-	7047M	25.11	850	7610	1.40	509	8293	16.41	850
4686	3.35	850	5537	11.87	850	7050M	25.04	850	7611	12.98	850	8304	9.39	850
4692	1.21	474	5538	-	-	7090M	13.52	850	7612	22.55	850	8350	10.75	850
4693	1.89	600	5551	26.41	850	7098M	15.12	850	7613	15.28	850	8380	5.60	850
4703	4.91	850	5606	3.68	850	7099M	27.99	850	7704	-	-	8381	4.37	850
4717	4.41	850	5610	11.80	850	7133	8.97	850	7705	8.39	850	8385	7.51	850
4720	2.86	779	5645	25.60	850	7151M	10.90	850	7710	6.18	850	8392	4.66	850
4740	7.32	850	5651	16.57	850	7152M	22.43	850	7711	6.18	850	8393	4.12	850
4741	3.03	811	5703	33.32	850	7153M	12.11	850	7720X	4.50	850	8500	15.17	850
4751	6.54	850	5705	12.24	850	7222	19.83	850	7723X	4.66	850	8601	1.92	605
4771N	5.86	850	5951	0.73	385	7228	19.38	850	7855	28.08	850	8606	6.94	850
4777	9.55	850	6003	17.48	850	7229	17.64	850	8001	2.56	724	8709F	6.40	850
4825	2.25	666	6005	11.71	850	7230	16.32	850	8002	3.64	850	8710X	4.84	850
4828	4.59	850	6017	12.73	850	7231	11.49	850	8006	4.91	850	8719	3.52	850
4829	3.08	820	6018	5.84	850	7232	16.30	850	8008	2.77	762	8720	3.37	850
4902	4.82	850	6045	7.58	850	7309F	31.87	850	8010	3.32	850	8721	1.16	465
4923	2.01	622	6204	29.50	850	7313F	6.36	850	8013	1.02	439	8726F	7.47	850
5020	20.47	850	6206	10.62	850	7317F	14.68	850	8015	2.16	650	8734M	1.23	478
5022	11.33	850	6213	7.76	850	7323FNX	8.77	850	8017	3.34	850	8737M	1.11	455
5037	63.67	850	6214	6.07	850	7327F	16.08	850	8018	4.31	850	8738M	2.27	670
5040	62.71	850	6216	15.77	850	7333M	9.88	850	8021	4.39	850	8742	0.91	418
5057	20.69	850	6217	11.86	850	7335M	10.99	850	8031	4.73	850	8745	9.01	850
5059	72.70	850	6229	9.90	850	7337M	20.34	850	8032	4.59	850	8748	1.65	555
5069	58.65	850	6233	11.93	850	7350F	16.41	850	8033	3.54	850	8755	0.78	394
5102	10.88	850	6235	25.78	850	7360	13.78	850	8039	5.55	850	8799	1.72	568
5146	9.39	850	6236	33.79	850	7370	8.39	850	8044	7.43	850	8800	1.72	568
5160	10.33	850	6237	5.28	850	7380	9.21	850	8045	1.21	474	8803	0.20	287
5183	9.46	850	6251D	27.93	850	7382	11.73	850	8046	5.22	850	8805M	0.71	381
5188	10.53	850	6252D	15.25	850	7390	9.05	850	8047	1.83	589	8810	0.53	348
5190	10.73	850	6260	12.51	850	7394M	23.57	850	8050	-	-	8814M	0.63	367
5191	1.38	505	6306	15.10	850	7395M	26.18	850	8058	4.99	850	8815M	1.31	492
5192	8.27	850	6319	10.99	850	7398M	48.46	850	8072	1.58	542	8820	0.44	331
5213	18.29	850	6325	25.14	850	7403	7.61	850	8102	4.50	850	8824	6.58	850
5215	7.61	850	6400	11.44	850	7405N	1.76	683	8103	4.35	850	8825	4.12	850
5221	8.30	850	6504	4.77	850	7409	-	-	8105	6.54	850	8826	4.79	850

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

NORTH CAROLINA

Page S3

Original Printing

Effective April 1, 2009

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM
8831	2.43	700	9600	3.97	850									
8832	0.71	381	9620	1.76	576									
8833*	3.54	850												
8835	4.62	850												
8837aX*	a	a												
8848X	6.04	850												
8849X	5.47	850												
8868	0.89	415												
8869	1.67	559												
8871	0.56	354												
8901	0.54	350												
9012	3.35	850												
9014	5.75	850												
9015	5.47	850												
9016	5.64	850												
9019	3.99	850												
9033	3.68	850												
9040*	6.15	850												
9044	2.90	787												
9052	3.79	850												
9058	2.45	703												
9059	6.31	850												
9060	2.97	799												
9061	2.65	740												
9062	2.90	787												
9063	1.65	555												
9077F	2.12	642												
9082	2.96	798												
9083	2.85	777												
9084	2.56	724												
9089	1.20	472												
9093	3.34	850												
9101	5.77	850												
9102	5.57	850												
9154	3.52	850												
9156	4.42	850												
9170	5.75	850												
9178	18.00	850												
9179	50.56	850												
9180	11.53	850												
9182	3.21	844												
9186	64.67	850												
9220	8.63	850												
9402	12.47	850												
9403	14.56	850												
9410	3.57	850												
9501	4.77	850												
9505	8.32	850												
9516	5.09	850												
9519	8.10	850												
9521	7.87	850												
9522	3.23	848												
9534	15.86	850												
9554	25.91	850												
9586	1.07	448												

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

Effective April 1, 2009

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained by Home Office from Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See Rule 3-A-7 of the **Basic Manual**.
- E Rate for classification already includes the specific disease loading shown in the table below.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.78	S	1624E	0.05	S	3082D	0.16	S
0065D	0.18	S	1741D	0.67	S	3085D	0.15	S
0066D	0.18	S	1803D	1.23	S	4024E	0.07	S
0067D	0.18	S	1852D	0.18	Asb	6251D	0.16	S
1165XE	0.07	S	3081D	0.11	S	6252D	0.13	S

Asb=Asbestos, S=Silica

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for federal assessment.
- M Rate provides for coverage under Admiralty Law and Federal Employers' Liability Act (FELA). A provision for the USL& HW assessment is included for those classifications under Program II USL Act.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4771	0771
7323F	0763F
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$9.55. (For coverage written separately for federal benefits only, \$3.59. For coverage written separately for state benefits only, \$5.96.)
- 2705 An upset payroll of \$4.00 per cord shall be used for premium computation purposes in all instances.
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.499 and elr x 2.294.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.
- 8833 The ex-medical rate for this classification is \$2.34.
- 8837 Effective 10/1/2009, per the approval of NCCI Item Filing 01-NC-2006 (as discussed in NCRB Circular C-07-04), this code is discontinued and codes 8864 and 8842 are established. Based on the information contained in this filing, the values for the newly-established codes effective 10/1/2009 are:

	Rate	Min Prem	ELR	D Ratio	Ex-Med
8842	4.17	850	1.20	0.16	0.35
8864	4.17	850	1.20	0.16	0.35
- 9040 The ex-medical rate for this classification is \$3.81.

Effective April 1, 2009

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 --"Taxicab Co.":

Employee operated vehicle.....	\$54,375.00
Leased or rented vehicle.....	\$36,250.00

Catastrophe (other than Certified Acts of Terrorism) (Assigned Risk)..... \$0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$250.00

Loss Sensitive Rating Plan (LSRP) - The factors which are used in the calculation of the LSRP are as follows:

Basic Premium Factor	0.30	Loss Development Factors	
Minimum Premium Factor	0.75	1st Adjustment	0.27
Maximum Premium Factor	1.75	2nd Adjustment	0.19
Loss Conversion Factor	1.16	3rd Adjustment	0.15
Tax Multiplier	1.030	4th Adjustment	0

Maximum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers of a corporation" and the **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports," Code 9179 -- "Athletic Sports or Park: Contact Sports," and Code 9186 -- "Carnival--Traveling"..... \$1,400.00

Minimum Payroll applicable in accordance with **Basic Manual** Rule 2-E-1 -- "Executive Officers" \$349.00

Per Passenger Seat Surcharge - In accordance with **Basic Manual** footnote instructions for Code 7421, the surcharge is:

Maximum surcharge per aircraft.....	\$1,000.00
Per passenger seat.....	\$100.00

Premium Determination for Partners and Sole Proprietors in accordance with **Basic Manual** Rule 2-E-3..... \$36,600.00

Premium Reduction Percentages - The following percentages are applicable by deductible amount and hazard group for total losses on a per claim basis:

Deductible Amount	Total Losses						
	HAZARD GROUP						
	A	B	C	D	E	F	G
\$100	0.5%	0.4%	0.3%	0.3%	0.2%	0.1%	0.1%
\$200	1.0%	0.8%	0.6%	0.5%	0.4%	0.3%	0.2%
\$300	1.5%	1.1%	0.9%	0.7%	0.6%	0.4%	0.3%
\$400	1.9%	1.4%	1.2%	1.0%	0.8%	0.5%	0.4%
\$500	2.3%	1.7%	1.4%	1.1%	0.9%	0.6%	0.5%
\$1,000	3.6%	2.7%	2.3%	1.9%	1.6%	1.1%	0.8%
\$1,500	4.4%	3.4%	2.9%	2.4%	2.0%	1.4%	1.1%
\$2,000	5.1%	4.0%	3.4%	2.8%	2.4%	1.7%	1.3%
\$2,500	5.6%	4.4%	3.8%	3.2%	2.7%	1.9%	1.5%
\$5,000	7.9%	6.3%	5.5%	4.7%	4.0%	2.9%	2.3%

Terrorism (Assigned Risk)..... \$0.02

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 95%

(Multiply a Non-F classification rate by a factor of 1.95 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.77) and the adjustment for differences in loss-based expenses (1.103).)

Effective April 1, 2009

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES (cont.)

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$8,000. If more than two years, an average annual premium of at least \$4,000 is required. Page R-4 of the *Experience Rating Plan Manual* should be referenced for the latest approved eligibility amounts by state.